



PRODUCT KATALOG



**INSTALASI DUCTING EXHAUST HOOD | INSTALASI
GAS KOMERSIAL ELECTRIC DETECTOR
KEBOCORAN GAS | COLD ROOM
KITCHEN EQUIPMENT CUSTOM | STAINLESS STEEL**

PT. DOMISINDO PRATAMA TEKNIK

Office & Workshop :

Perum Greenland Foresthill residence Blok C2 no.6
Atang Senjaya, Semplak Bogor , Jawa Barat

www.domisindopratomateknik.com



- Company profile DPT	01
- S/s working table	02
- S/s working table w/ drawers	03
- S/s open cabinet, Cabinet middle door shelf	03
- S/s open cabinet middle shelf door	03
- S/s wall solid shelf kitchen, railing pipe shelving	04
- S/s single/double over shelf	04
- S/s storage rack with slotted/solid shelf	04
- S/s grease trap, grill gutter, heating element	04
- S/s single, double, triple bowl sink	05
- S/s bakery pan trolley	05
- S/s condensated	05
- S/s wall type exhaust hood	05
- S/s island type exhaust hood	05
- S/s trolley 3 shelves	05
- S/s cocktail station with sink	06
- S/s ice bin	06
- S/s bain marie with shelf / cabinet	06
- Sneeze guard open/sliding	06
- S/s food warmer trolley	06
- S/s plate warmer cabinet	06
- S/s groceries trolley	06
- Salad counter custom stainless steel	06
- S/s gas stock pot range	07
- S/s gas kwali range	07
- S/s gas open (4/6) burner	08
- S/s gas 6 open burner, stove open cabinet	08
- S/s gas stove 4/6 burner	08
- S/s gas flat griddle, w/ open cabinet	08
- S/s combi flat & lava stone grill	09
- S/s gas char broiler, lavarock grill	09
- S/s gas tepanyaki table	09
- S/s gas fryer, gas fry top + griller	09
- S/s gas deep fryer, noodle boiler	09
- Cold storage standard / custom	10
- Condensing unit / evaporator cold room	11
- Electric detector kebocoran gas & instalasi gas	12
- Instalasi ducting exhaust hood & fresh air	12

DAFTAR ISI



Tentang Kami

PT. Domisindo Pratama Teknik adalah perusahaan jasa yang didedikasikan untuk menyediakan peralatan dapur serta solusi perbaikan, perawatan, dan pemeliharaan peralatan dapur komersial. Kami melayani berbagai kebutuhan peralatan dapur mulai dari ketring, restoran, hotel, hingga dapur skala besar lainnya yang mengutamakan ketahanan dan efisiensi. Dengan tim profesional yang berpengalaman dan peralatan lengkap, kami siap memastikan setiap peralatan dapur anda selalu berfungsi optimal.

Kami berkomitmen untuk memberikan layanan yang cepat, responsif, dan berkualitas tinggi. Dengan standar tinggi dalam setiap pekerjaan, PT. Domisindo Pratama Teknik siap menjadi mitra terpercaya dalam menjaga performa dapur Anda.

Visi

Menjadi perusahaan terkemuka di bidang jasa perbaikan dan perawatan peralatan dapur komersial di Indonesia, yang dikenal atas keandalan dan kualitas layanan serta menyediakan semua equipment kitchen berkualitas tinggi sesuai standar keperluan customer kami.

Misi

Memberikan layanan perbaikan dan perawatan berkualitas tinggi yang meningkatkan kinerja dan umur peralatan dapur pelanggan.

Memberikan layanan pelanggan yang ramah, profesional, dan solutif.

Membangun hubungan jangka panjang dengan pelanggan melalui komitmen dan kepuasan pelanggan.

Mengembangkan tim yang kompeten dan ahli di bidang perbaikan dan pemeliharaan peralatan dapur.





Layanan Kami

Pengadaan Kitchen Equipment

Kami menyediakan berbagai jenis peralatan dapur komersial, seperti oven, kompor, lemari pendingin, dan lainnya, dan juga tim teknisi kami siap memberi solusi terbaik untuk dapur anda bekerja secara optimal

Perbaikan, Perawatan Berkala dan Pemeliharaan

PT. Domisindo Pratama Teknik juga menyediakan layanan perbaikan , perawatan dan pemeliharaan berkala untuk memastikan peralatan dapur tetap dalam kondisi terbaik, sehingga dapat menghindari kerusakan yang tidak terduga, serta tim teknisi kami siap membantu perbaikan dengan cepat dan efisien.

Konsultasi dan Evaluasi Kinerja Peralatan Dapur

Kami menyediakan layanan konsultasi untuk mengevaluasi kinerja dan efisiensi peralatan dapur anda. Dengan bantuan tenaga ahli kami, Anda dapat meningkatkan efisiensi dan kualitas operasional dapur.

Mengapa Memilih Kami?

Pengalaman dan Keahlian: Dengan tim teknisi berpengalaman, kami memiliki keahlian dalam perbaikan dan pemeliharaan berbagai jenis peralatan dapur.

Respon Cepat : Kami memahami pentingnya kelancaran operasional dapur Anda, sehingga kami berkomitmen memberikan respon dan layanan yang cepat.

Layanan Berkualitas : Setiap layanan kami dilakukan dengan teliti dan memenuhi standar tertinggi untuk menjamin kepuasan pelanggan.

Mitra Terpercaya : Kami berfokus pada kebutuhan pelanggan dan menjaga hubungan jangka panjang dengan layanan yang profesional dan dapat diandalkan.

Dengan pengalaman yang mendalam dalam bidang kitchen equipment, PT. Domisindo Pratama Teknik siap membantu Anda dalam menjaga performa dapur tetap optimal. Dan juga pengalaman dan dedikasi yang kuat, PT. Domisindo Pratama Teknik siap menjadi mitra terpercaya Anda dalam layanan perbaikan, perawatan dan pemeliharaan peralatan dapur yang andal dan berkualitas. Kami berkomitmen untuk memberikan layanan yang tidak hanya memenuhi tetapi juga melampaui ekspektasi pelanggan. Hubungi kami untuk layanan terbaik yang akan menjaga peralatan dapur Anda selalu siap digunakan.



STAINLESS STEEL CUSTOM

S/S WORKING TABLE 1 UNDERSHELF




- Adjustable feet
- 1 under shelf plat
- Available S/s 201, 304
- Table top thickness 1,2mm
- Shelf thickness 1mm



PANJANG	LEBAR	TINGGI
400	750	850
600	750	850
800	750	850
1000	750	850
1800	750	850
2000	750	850
2200	750	850

WORKING TABLE OPEN FRONT BAR



- Adjustable feet
- With cross bar pipe
- Available S/s 201,304
- Table top thick 1,2mm
- Bar pipe thick 1mm



PANJANG	LEBAR	TINGGI
400	750	850
600	750	850
800	750	850
1000	750	850
1500	750	850
1800	750	850
2000	750	850
2200	750	850

WORKING TABLE DOUBLE UNDER SHELF



- Adjustable feet
- With cross bar pipe
- Available S/s 201,304
- Table top thick 1,2mm
- Bar pipe thick 1mm



PANJANG	LEBAR	TINGGI
400	750	850
600	750	850
800	750	850
1000	750	850
1200	750	850
1500	750	850
1800	750	850
2000	750	850
2200	750	850

WORKING TABLE 2 UNDER SHELF



- Adjustable feet
- 2 under shelves plat
- S/s 201 and 304
- Table top thick 1,2mm
- Shelf thickness 1mm



PANJANG	LEBAR	TINGGI
400	750	850
600	750	850
800	750	850
1000	750	850
1200	750	850
1500	750	850
1800	750	850
2000	750	850
2200	750	850

WORKING TABLE BACK SPLASH



- Adjustable feet
- With cross bar pipe
- Available S/s 201 and 304
- Table top thickness 1,2mm
- Bar pipe thickness 1mm



PANJANG	LEBAR	TINGGI
400	750	850
600	750	850
800	750	850
1000	750	850
1200	750	850
1500	750	850
1800	750	850
2000	750	850

WORK TABLE BACK SPLASH SCRAP HOLE



- Adjustable feet
- With cross bar pipe
- Available S/s 201 and 304
- Table top thickness 1,2mm
- Bar pipe thickness 1mm
- Scrap hole



PANJANG	LEBAR	TINGGI
400	750	850
600	750	850
800	750	850
1000	750	850
1200	750	850
1500	750	850
1800	750	850
2000	750	850



WORK TABLE 1 SHELF WITH 3 DRAWERS



- Adjustable feet
- With 1 solid shelf
- Available S/s 201 and 304
- Table top thickness 1,2mm
- With 3 drawers



PANJANG	LEBAR	TINGGI
800	750	850
1000	750	850
1200	750	850
1500	750	850
1800	750	850
2000	750	850
2200	750	850

CABINET SWING DOOR MIDDLE SHELF




- S/s 201 and 304
- S/s table top thick 1,2mm
- Adjustable feet



PANJANG	LEBAR	TINGGI
400	750	850
600	750	850
800	750	850
1000	750	850
1200	750	850
1500	750	850
1800	750	850
2000	750	850
2200	750	850

S/S WALL HANGING CABINET



- Available S/s 201 and 304
- Swing or sliding door
- With 1 middle shelf



PANJANG	LEBAR	TINGGI
800	400	600
1000	400	600
1200	400	600
1500	400	600
1800	400	600
2000	400	600
2200	400	600

OPEN CABINET MIDDLE SHELF



- Available S/s 201 and 304
- S/s table top thick 1,2mm
- S/s middle shelf thick 1,2mm
- Adjustable feet



PANJANG	LEBAR	TINGGI
400	750	850
600	750	850
800	750	850
1000	750	850
1200	750	850
1500	750	850
1800	750	850
2000	750	850
2200	750	850

CABINET MIDDLE SHELF SLIDING DOOR



- Adjustable feet
- With 1 solid shelf
- Available S/s 201 and 304
- With 1 middle shelf



PANJANG	LEBAR	TINGGI
400	750	850
600	750	850
800	750	850
1000	750	850
1200	750	850
1500	750	850
1800	750	850
2000	750	850
2200	750	850

S/S PREPARATION TABLE W/ CABINET



- Available S/s 201 and 304
- Swing or sliding door
- With 1 middle shelf



PANJANG	LEBAR	TINGGI
1000	700	850+100
1200	700	850+100
1500	700	850+100
1800	700	850+100
2000	700	850+100
2200	700	850+100



STAINLESS STEEL CUSTOM

WALL SOLID SHELF KITCHEN



- With solid shelves
- S/s 201, S/s 304
- Shelf thick 1,2mm



PANJANG	LEBAR	TINGGI
800	300	250
1000	300	250
1200	300	250
1500	300	250
1800	300	250
2000	300	250

SINGLE OVER SHELF



- With solid shelves
- Available S/s 201 and 304
- S/s pipe thickness 1,2mm
- S/s shelf thickness 1,2mm



PANJANG	LEBAR	TINGGI
800	300	450
1000	300	450
1200	300	450
1500	300	450
1800	300	450
2000	300	450

STORAGE RACK WITH SOLID SHELF




- Adjustable feet
- With 4 slotted shelves
- S/s 201 and 304
- Shelf thickness 1,2mm



PANJANG	LEBAR	TINGGI
600	500	1550
800	500	1550
1000	500	1550
1200	500	1550
1500	500	1550
1800	500	1550
2000	500	1550
2200	500	1550

STAINLESS STEEL GRILL GUTTER



- S/s 201

PANJANG	LEBAR	TINGGI
1000	250	25

RAILING PIPE SHELVING



- With solid shelves
- S/s 201, S/s 304
- S/s Pipe thick 1,2mm



PANJANG	LEBAR	TINGGI
1000	350	250

DOUBLE OVER SHELF



- With 2 solid shelves
- Available S/s 201 and 304
- S/s pipe thickness 1,2mm
- S/s shelf thickness 1,2mm



PANJANG	LEBAR	TINGGI
800	300	450
1000	300	450
1200	300	450
1500	300	450
2000	300	450

STORAGE RACK WITH SLOTTED



- Adjustable feet
- With 4 slotted shelves
- S/s 201 and 304
- Shelf thickness 1,2mm



PANJANG	LEBAR	TINGGI
600	500	1550
800	500	1550
1000	500	1550
1200	500	1550
1500	500	1550
1800	500	1550
2000	500	1550
2200	500	1550

HEATING ELEMENT



- Switch ON/OFF
- Wire/cable 3m long installation

PANJANG	LEBAR	TINGGI
1000	150	80

S/S GREASE TRAP 3 SECTION



- S/s 201
- Without grease filter



PANJANG	LEBAR	TINGGI
400	300	250
600	300	250
1000	300	250



STAINLESS STEEL CUSTOM

SINGLE BOWL SINK




- Available S/s 201 and 304
- S/s bowl size 50 x 50 x 30 cm
- S/s open front bar pipe
- Adjustable feet



PANJANG	LEBAR	TINGGI
600	750	850
800	750	850
1000	750	850
1200	750	850

DOUBLE BOWL SINK



- Available S/s 201 and 304
- S/s bowl size 50 x 50 x 30 cm
- S/s open front bar pipe
- Adjustable feet



PANJANG	LEBAR	TINGGI
1200	750	850
1500	750	850
1800	750	850
2000	750	850
2200	750	850

TRIPLE BOWL SINK



- Available S/s 201 and 304
- S/s bowl size 50 x 50 x 30 cm
- S/s open front bar pipe
- Adjustable feet



PANJANG	LEBAR	TINGGI
1800	750	850
2000	750	850
2200	750	850

S/S BAKERY PAN TROLLEY



- Available S/s 201 and 304
- Castor / wheels
- Exclude pan



PANJANG	LEBAR	TINGGI
600	400	1600

CONDENSATED HOOD



- Without grease filter
- Without lamp
- Available S/s 201 &



PANJANG	LEBAR	TINGGI
1000	900	500

S/S TROLLEY 3 SHELVES



- For service food trolley
- Available S/s 201 and 304
- Castor/wheel



PANJANG	LEBAR	TINGGI
700	500	1000
900	500	1000

WALL TYPE EXHAUST HOOD



- Aluminium Grease Filter
- Lamp boat
- Switch ON/OFF
- Available S/s 201 and 304



PANJANG	LEBAR	TINGGI
1000	900 / 1000	500

ISLAND TYPE EXHAUST HOOD



- Aluminium Grease Filter
- Lamp boat
- Switch ON/OFF
- Available S/s 201 and 304



PANJANG	LEBAR	TINGGI
1000	2000	500



STAINLESS STEEL CUSTOM

COCKTAIL STATION WITH SINK



- Adjustable feet
- Faucet
- With ice bin
- S/s 201 and 304



PANJANG	LEBAR	TINGGI
1000	600/720	850
1200	600/720	850
1500	600/720	850

BAIN MARIE WITH 1 SHELF



- Adjustable feet
- With 1 solid shelf
- Available S/s 201/304
- S/s 201 food pan 1/1
- Thermostat



PANJANG	LEBAR	TINGGI
800	750	850
1000	750	850
1200	750	850
1500	750	850
1800	750	850

S/S FOOD WARMER TROLLEY



PANJANG	LEBAR	TINGGI
900	600	1400+80
1300	600	1200+80

S/S GROCERIES TROLLEY



1000x650x1050 1000x650x1050 1000x650x1050



1000x650x1200 1000x650x1050 1000x650x1050

S/S ICE BIN



- S/s 201 and 304
- Adjustable feet



P	L	T
500	700	850
500	700	850
500	700	850
500	700	850

SNEEZE GUARD (SINGLE) & SLIDING



P	L	T
1000	400 / 600	400
1000	400 / 600	750

BAIN MARIE WITH CABINET



- Wheel
- With cabinet
- Available S/s 201/304
- S/s 201 food pan
- Thermostat



PANJANG	LEBAR	TINGGI
800	750	850
1000	750	850
1200	750	850
1500	750	850
1800	750	850

S/S PLATE WARMER CABINET



PANJANG	LEBAR	TINGGI
1400	700	850

SALAD COUNTER CUSTOM STAINLESS STEEL



Counter Salad Stainless Steel ukuran dan spesifikasi custom, sesuai permintaan pelanggan.



GAS STOCK POT RANGE



- Adjustable feet
- Available S/s 201/304



PANJANG	LEBAR	TINGGI
500	500	500
1000	500	500

GAS STOCK POT RANGE



- Adjustable feet
- Available S/s 201/304



PANJANG	LEBAR	TINGGI
500	500	500
1000	500	500

S/S GAS KWALI RANGE with BLOWER (1 BURNER)



- 1 Soup Ring
- Kwali support
- Faucet
- S/s 201, S/s 304
- Back splash



PANJANG	LEBAR	TINGGI
1050	950	850 (1200)

S/S GAS KWALI RANGE with BLOWER (2 BURNER)



- 1 Soup Ring
- Kwali support
- Faucet
- Sauce table
- S/s 201, S/s 304
- Back splash



PANJANG	LEBAR	TINGGI
1900	950	850 (1200)

S/S GAS KWALI RANGE with BLOWER (1 BURNER)



- Back splash
- Faucet
- S/s 201, S/s 304
- High pressure



PANJANG	LEBAR	TINGGI
750	750 (900)	750 (1200)

S/S GAS KWALI RANGE with BLOWER (2 BURNER)



- 1 Soup Ring
- Faucet
- Back splash
- S/s 201, S/s 304
- High pressure



PANJANG	LEBAR	TINGGI
1500	750 (900)	750 (1200)

STAINLESS STEEL CUSTOM



GAS OPEN BURNER

(4 BURNER)



- Available S/s 201 & 304
- Back splash and under shelf
- Back splash
- Adjustable foot
- Available in cross bar stand
- High / Low Pressure Optional



PANJANG	LEBAR	TINGGI
750	750	850 (950)

GAS OPEN BURNER

(6 BURNER)



- Available S/s 201 & 304
- Back splash and under shelf
- Back splash
- Adjustable foot
- Available in cross bar stand
- High / Low Pressure Optional



PANJANG	LEBAR	TINGGI
1200	750	850 (950)

S/S GAS 6 OPEN BURNER



- Available S/s 201 and 304
- Octagonal Stove Design
- Oil Tray
- Available in standing model



PANJANG	LEBAR	TINGGI
1000	700	600

S/S STOVE OPEN CABINET

2 Stove



4 Stove



PANJANG	LEBAR	TINGGI
450	750	850 + 100
700	750	850 + 100

S/S GAS STOVE 4 BURNER



PANJANG	LEBAR	TINGGI
600	750	340

S/S GAS STOVE 6 BURNER



PANJANG	LEBAR	TINGGI
900	750	340

S/S GAS FLAT GRIDDLE



- Available S/s 201 & 304
- Oil Tray
- Fire hole & Ignitions
- Available in standing model



PANJANG	LEBAR	TINGGI
400	700	410

S/S FLAT GRIDEL W/ OPEN CABINET



- Available S/s 201 & 304
- Oil Tray
- Fire hole & Ignitions
- Available in standing model



PANJANG	LEBAR	TINGGI
600	700	410



STAINLESS STEEL CUSTOM

S/S COMBI FLAT AND LAVA STONE GRILL



- Available S/s 201 and 304
- Oil Tray
- Fire hole
- Adjustable foot
- Ignitions
- Available in standing model



PANJANG	LEBAR	TINGGI
600	700	410

GAS LAVAROCK GRILL



- 4 Burner - Portable
- Low Pressure



PANJANG	LEBAR	TINGGI
600	760	410

GAS FRYER FREE STAND



- 1 Tank
- 2 Basket



PANJANG	LEBAR	TINGGI
390	800	980

S/S GAS DEEP FRYER



- 2 knob burner
- Free standing
- Low pressure



PANJANG	LEBAR	TINGGI
400	750	850 (950)
800	750	850 (950)

S/S GAS CHAR BROILER



- Available S/s 201 and 304
- Oil Tray
- Fire hole
- Adjustable foot
- Ignitions
- Available in standing model



PANJANG	LEBAR	TINGGI
400	700	410

GAS TEPANYAKI TABLE



- Available S/s 201 & 304
- Adjustable foot
- Front bar



PANJANG	LEBAR	TINGGI
400	700	410

GAS FRY TOP + GRILLER



- 1 Basket
- 1 Flat grill
- Low pressure



PANJANG	LEBAR	TINGGI
600	750	850 (950)
800	750	850 (950)
1000	750	850 (950)

S/S GAS NOODLE BOILER




- 4 hole / 6 hole cooker
- Free standing
- Medium pressure




PANJANG	LEBAR	TINGGI
400	750	850 (950)
800	750	850 (950)

ELECTRIC DETECTOR KEBOCORAN GAS & INSTALASI GAS KOMERSIAL



- | | |
|----------------------------------|-----------------------------|
| 1. Pipe Header | 6. Regulator (Low Pressure) |
| 2. Gas Valve | 7. Selenoid |
| 3. Gas Pressure | 8. Pipe Line Gas SC-40 |
| 4. Regulator Gas (High Pressure) | 9. Alarm Detector |
| 5. Drat Joint | 10. Control Panel Alarm |

INSTALASI DUCTING EXHAUST HOOD & DUCTING FRESH AIR



- | |
|---------------------------------------|
| 1. Ducting Bahan BJLS
tebal 0,6 mm |
| 2. Transmisi Fan |
| 3. Fan Motor |
| 4. Karpas Peredam Getaran |
| 5. L-Bow Ducting BJLS |
| 6. Control Panel Listrik Fan |
| 7. Hanger |
| 8. Exhaust Hood |

UPRIGHT CHILLER

TEMPERATURE: +2 ~ +8°C



QC1.0L4F

1. Stainless steel SUS 201
2. Energy saving by high quality compressor
3. Import materials for door seal gasket
4. Temperature controller digital
5. CFC-free refrigerant environmentally friendly
6. Auto defrosting
7. Adjustable feet and shelf
8. Self-closing door
9. Refrigerant R134a
10. Fan cooling system
11. Lock & replaceable magnetic door seal.
12. Upright chiller 4 doors



QC1.6L6F


1. Stainless steel SUS 201
2. Energy saving by high quality compressor
3. Import materials for door seal gasket
4. Temperature controller digital
5. CFC-free refrigerant environmentally friendly
6. Auto defrosting
7. Adjustable feet and shelf
8. Self-closing door
9. Refrigerant R134a
10. Fan cooling system
11. Lock & replaceable magnetic door seal.
12. Upright chiller 6 doors

MODEL	QC1.0L4F	QC1.6L6F
DIMENSION W*D*H(mm)	1200*730*1955	1800*730*1955
CAPACITY	846 L	1261 L
POWER CONSUMPTION	- Watt	- Watt
VOLTAGE	220V/1P/50Hz	220V/1P/50Hz
WEIGHT (NW/GW)	126/136 Kg	166/176 Kg



UPRIGHT FREEZER

TEMPERATURE: -10 ~ -18°C



QD0.5L2F

1. Stainless steel SUS 201
2. Energy saving by high quality compressor
3. Import materials for door seal gasket
4. Temperature controller digital
5. CFC-free refrigerant environmentally friendly
6. Auto defrosting
7. Adjustable feet and shelf
8. Self-closing door
9. Refrigerant R404a
10. Fan cooling system
11. Lock & replaceable magnetic door seal.
12. Upright freezer 2 doors



QD1.0L4F

1. Stainless steel SUS 201
2. Energy saving by high quality compressor
3. Import materials for door seal gasket
4. Temperature controller digital
5. CFC-free refrigerant environmentally friendly
6. Auto defrosting
7. Adjustable feet and shelf
8. Self-closing door
9. Refrigerant R404a
10. Fan cooling system
11. Lock & replaceable magnetic door seal.
12. Upright freezer 4 doors



QD1.6L6F

1. Stainless steel SUS 201
2. Energy saving by high quality compressor
3. Import materials for door seal gasket
4. Temperature controller digital
5. CFC-free refrigerant environmentally friendly
6. Auto defrosting
7. Adjustable feet and shelf
8. Self-closing door
9. Refrigerant R404a
10. Fan cooling system
11. Lock & replaceable magnetic door seal.
12. Upright freezer 6 doors

MODEL	QD0.5L2F	QD1.0L4F	QD1.6L6F
DIMENSION W*D*H(mm)	600*730*1955	120*730*1955	180*730*1955
CAPACITY	371 L	846 L	1261 L
POWER CONSUMPTION	- Watt	- Watt	- Watt
VOLTAGE	220V/1P/50Hz	220V/1P/50Hz	220V/1P/50Hz
WEIGHT (NW/GW)kg	91/101	130/140	175/180



UNDERCOUNTER CHILLER

TEMPERATURE: +2 ~ +8°C



EC12L2F

1. Stainless steel SUS 201
2. Energy saving by high quality compressor
3. Import materials for door seal gasket
4. Temperature controller digital
5. CFC-free refrigerant environmentally friendly
6. Auto defrosting
7. Adjustable feet and shelf
8. Self-closing door
9. Refrigerant R134a
10. Fan coolong system
11. Lock
12. Undercounter 2 doors



EC15L2F

1. Stainless steel SUS 201
2. Energy saving by high quality compressor
3. Import materials for door seal gasket
4. Temperature controller digital
5. CFC-free refrigerant environmentally friendly
6. Auto defrosting
7. Adjustable feet and shelf
8. Self-closing door
9. Refrigerant R134a
10. Fan coolong system
11. Lock
12. Undercounter 2 doors



EC18L3F

1. Stainless steel SUS 201
2. Energy saving by high quality compressor
3. Import materials for door seal gasket
4. Temperature controller digital
5. CFC-free refrigerant environmentally friendly
6. Auto defrosting
7. Adjustable feet and shelf
8. Self-closing door
9. Refrigerant R134a
10. Fan coolong system
11. Lock
12. Undercounter 3 doors

MODEL	EC12L2F	EC15L2F	EC18L3F
DIMENSION W*D*H(mm)	1200*700*850	1500*700*850	1800*700*850
CAPACITY	220 L	299 L	383 L
POWER CONSUMPTION	- Watt	- Watt	- Watt
VOLTAGE	220V/1P/50Hz	220V/1P/50Hz	220V/1P/50Hz
WEIGHT	- Kg	- Kg	- Kg



CAKE SHOWCASE

TEMPERATURE: +2 ~ +8°C



RLB730V-S



RLB740V-S



RLB750V-S

Features

1. Complete closed design, ensure the foods hygiene and safety.
2. Stainless steel body
3. Toughened heated glass, anti condensation
4. LED light in illumination, avoiding glaring.
5. Independent electronic board and cooling system
6. Environment-friendly CFC-free refrigerant.
7. Fan cooling system
8. Universal casters move more easily.
9. Low power consumption by high quality hermetic compressor.
10. Refrigerant R134a
11. Shelving: 2 layers
12. Sliding door frame
13. Auto defrosting

MODEL	RLB730V-S	RLB740V-S	RLB750V-S
DIMENSION W*D*H(mm)	900*680*1200	1200*680*1200	1500*680*1200
CAPACITY	360 L	492 L	626 L
POWER CONSUMPTION	470 Watt	613 Watt	689 Watt
VOLTAGE	220V/1P/50Hz	220V/1P/50Hz	220V/1P/50Hz
WEIGHT (NW/GW) kg	180/200	224/245	270/29



COLD STORAGE STANDARD / CUSTOM



MODULAR COLD ROOM REFRIGERATION UNIT CHILLER [R404a, Evap Temp : -10°C, Cond. Temp : +50°C]

MODULAR COLD ROOM REFRIGERATION UNIT FREEZER [R404a, Evap Temp : -30°C, Cond. Temp : +45°C]

COLD ROOM VOLUME (m ³)	CONDENSING UNIT + CONTROL PANEL			
	Type	Q (Watt)	HP	Volt
~ 9	CAJ-9510Z	1542	1	220
10 ~ 16	CAJ-4519Z	3091	1,5	220
17 ~ 24	FH-4524Z	3157	2	220
	ZX020BE	3640	2	380
25 ~ 35	TFH-4531Z	4139	2,5	380
	2FES-2Y	3690	2	380
	ZX030BE	5120	3	380
36 ~ 44	TFH-4540	5444	3,5	380
	2DES-2Y	5745	2	380
	ZX030BE	5120	3	380
45 ~ 65	TAG-4561Z	7336	5	380
	2DES-2Y	5750	2	380
	ZX040BE	6850	4	380
66 ~ 86	TAG-45617	7336	5	380
	4FES-3Y	7720	3	380
	ZX050BE	9220	5	380
87 ~ 100	4EES-4Y	9840	4	380
	ZX050BE	9220	5	380
101 ~ 120	4EES-4Y	9840	4	380
	ZX060BE	10280	6	380
	MTZ080	9215	6,5	380
121 ~ 150	4EES-4Y	9840	4	380
	ZX075BE	11220	7,5	380
151 ~ 180	4DES-5Y	11790	5	380
181 ~ 220	4CES-6Y	14290	6	380
221 ~ 270	4TES-9Y	17840	9	380
271 ~ 310	4PES-12Y	20100	12	380
311 ~ 370	4NES-14Y	24200	14	380
371 ~ 440	4JE-15Y	28300	15	380
441 ~ 520	4HE-18Y	33200	18	380

COLD ROOM VOLUME (m ³)	Q (Watt)	CONDENSING UNIT			
		Type	Q (Watt)	HP	Volt
~ 9	1370	CAJ-2464Z	1010	1,5	220
		2FES-2Y	1480	2	380
10 ~ 16	1860	TFH-2480Z	1431	2	380
		2DES-2Y	2360	2	380
		ZXL020BE	2130	2	380
17 ~ 24	2570	TFH-2511Z	2105	2,75	380
		4FES-3Y	2910	3	380
25 ~ 35	3290	TAG-2516Z	2826	4	380
		4EES-4Y	4120	4	380
		ZXL035BE	3060	3,5	380
36 ~ 44	4200	MTZ080	3150	6,5	380
		TAG-2522Z	3425	5,5	380
45 ~ 65	5600	4DES-5Y	4920	5	380
		ZXL040BE	4470	4	380
		4CES-6Y	5830	6	380
66 ~ 86	6600	ZXL050BE	5080	5	380
		MTZ125	5160	10	380
		4TES-9Y	7040	9	380
87 ~ 120	7900	ZXL075BE	7060	7,5	380
		4PES-12Y	7620	12	380
121 ~ 150	10300	4NES-14Y	9540	14	380
151 ~ 180	12400	4HE-18Y	13890	18	380
181 ~ 220	13800	4HE-18Y	13890	18	380
221 ~ 270	16200	4GE-23Y	16550	23	380

A) Ukuran Cold Room P.200 x L.200 x T.250 CM

VOLUME	KAPASITAS STORAGE	CONDENSING UNIT	DAYALISTRIK (VOLTASE)	TEMPERATUR (°C)	UNTUK MENYIMPAN	
7,5M ³	1.500 Kg	1 HP	870 (220V/1P)	+2 ~ +4°C	Produk Sudah Dingin	1 set lampu LED 18 W x 2 + 1 set Pressure Relief Valve
	2.600 Kg	1,5 HP	1230 (220V/1P)	-20°C	Produk Sudah Beku	
	1.500 Kg	2 HP	1470 (380V/3P)	-20°C	Produk Setengah Beku	

B) Ukuran Cold Room P.300 x L.200 x T.250 CM

VOLUME	KAPASITAS STORAGE	CONDENSING UNIT	DAYALISTRIK (VOLTASE)	TEMPERATUR (°C)	UNTUK MENYIMPAN	
11,6M ³	2.600 Kg	2 HP	1445 (220V/1P)	+2 ~ +4°C	Produk Sudah Dingin	1 set lampu LED 18 W x 2 + 1 set Pressure Relief Valve
	4.500 Kg	2,2 HP	1640 (380V/3P)	-20°C	Produk Sudah Beku	
	2.600 Kg	3 HP	2230 (380V/3P)	-20°C	Produk Setengah Beku	

C) Ukuran Cold Room P.400 x L.300 x T.250 CM

VOLUME	KAPASITAS STORAGE	CONDENSING UNIT	DAYALISTRIK (VOLTASE)	TEMPERATUR (°C)	UNTUK MENYIMPAN	
24,5M ³	5.600 Kg	2,2 HP	1700 (380V/3P)	+2 ~ +4°C	Produk Sudah Dingin	2 set lampu LED 18 W x 2 + 1 set Pressure Relief Valve
	6.400 Kg	3 HP	2230 (380V/3P)	-20°C	Produk Sudah Beku	
	5.600 Kg	4,5 HP	3340 (380V/3P)	-20°C	Produk Setengah Beku	



CONDENSING UNIT / EVAP COLD ROOM

HD

CONDENSOR



- CONDENSOR HD LCH-0.7/2 + 1FAN,200MM (1/4 HP)
- CONDENSOR HD LCH-1.6/4.4 + 1FAN,250MM (1/2HP-3/8 HP)
- CONDENSOR HD LCH-3.0/8.4 + 1FAN,350MM (1HP- 1,5 HP)
- CONDENSOR HD LCH-6.4/18 + 1FAN,400MM (2HP-3 HP)
- CONDENSOR HD LCH-12/33 + 2FAN,400MM (4HP-5HP)
- CONDENSOR HD LCH-19/52 + 2FAN,400MM (6 HP-7 HP)
- CONDENSOR HD LCH-21/60 + 2FAN,450MM (7.5 HP-9 HP)
- CONDENSOR HD LCH-25/70 + 2FAN,450MM (10HP)
- CONDENSOR HD LCH-28/80 + 2FAN,450MM (15HP)
- CONDENSOR HD LCH-39/110 + 2FAN,500MM (20HP)
- CONDENSOR HD LCH-48/135 + 2FAN,550MM (25HP)

HD

EVAPORATOR



- HD LEDD 1.2/7 + FAN
- HD LEDD 2.1/12 + FAN
- HD LEDD 2.6/15 + FAN
- HD LEDD 3.9/22 + FAN
- HD LEDD 5.3/30 + FAN
- HD LEDD 7.2/40 + FAN
- HD LEDD 11/60 + FAN
- HD LEDD 14/80 + FAN
- HD LEDD 18/100 + FAN
- HD LEDD 21/120 + FAN
- HD LEDD 25/140 + FAN
- HD LEDJ-0.2/8 + FAN
- HD LEDJ-2.3/15 + FAN
- HD LEDJ-3.1/20 + FAN
- HD LEDJ-6.2/40 + FAN
- HD LEDJ-16/100 + FAN
- HD LEDJ-18/115 + FAN

BITZER

CONDENSING UNIT



CONDENSING UNIT




SPLIT COLD ROOM (CHILLER FREEZER)



Fitur panel :

- Bahan panel : Polyurethane
- Ketebalan panel : 7,5 cm, 10 cm, 15 cm
- Bahan luar / dalam : Hot dipped galvanis colorbond 0,5mm
- Pintu (door) : Swing door / sliding door
- Pintu dilengkapi : Kunci, safety handle, Slip curtain
- Ukuran lubang pintu : 75 x 180 cm
- Density : 40 ~ 42kg/m³
- Sistem pemasangan : Knock-down + camlock
- Compressor : Fully hermetic
- Evaporator : Setara dengan kapasitas condensing unit
- Panel kontrol mesin : MCB, Timer, Overload, Relay, Box Panel, Electric Contactor, Digital Thermostat

Tersedia 3 model ukuran cold room standard





PT. DOMISINDO PRATAMA TEHNIK

Office & Workshop :

Perum Greenland Foresthill residence Blok C2 no.6
Atang Senjaya, Semplak Bogor , Jawa Barat

www.domisindopratamateknik.com

Domisndo.pratama@gmail.com